

CNL Event Reporting 2021/22 1st Quarter (April, May, June)

Event Number	Title
ERM-21-1036	Whiteshell: Incomplete Inventory Results in Misclassification of Shipment
ERM-21-1059	HWP - PG WWTP - Reported Toxicity Failure of Final Effluent Sample (False positive result)
HSSE-21-1303	Contaminated Flasks Containing Depleted Uranium Used as Shielding are not Being Leak Tested
CTA-21-1357	Damaged IAEA Seal (during IAEA inspection activities)
S&T-21-1366	Ludlum 375 Gamma Area Monitor Found out of Calibration in the HPNG Facility
CTA-21-1543	Late Administrative Submission of Inventory Change Documents to the CNSC
HSSE-21-1648	Fire Screening Form not Completed for Fire System Impairment
ERM-21-1651	Whiteshell: Building 402 Fire Protection System Impairment
ERM-21-1732	Whiteshell: Hydraulic Leak at the Building 200 Demolition Site Involving a contractor's Hyster 550 Fork Lift
ERM-21-1750	Transportation of Dangerous Goods Shipment from an External Consignor Received with Labelling Issues
S&T-21-1767	Depleted Uranium (84 mg) Unaccounted for Found in Lab 43
ERM-21-1772	Whiteshell: Legacy Radiation Source Found in Area Radiation Monitor Removed from B305 Electron Accelerator